











Weight (kg/m)	Replaces dwg	Page 1(1)	Associated dwg No.	Units millimeters	Scale 1:1.5	Rev No 00
	PM50 / PM80		Tolerances/Tolerances IS:ISO 2768-1	Designer roand	Date (y/m/d) 041022	
	Standard mounting		Approved by	Date (y/m/d)		
			RA 6,3	Rev by	Date (y/m/d)	
			Dwg No.	4823-00		



Weight (kg/m)	Replaces dwg	Page 1(1)	Associated dwg No.	Units millimeters	Scale 1:1.5	Rev No 00
	PM50 / PM80		Designer roand	Date 041022	Toleranz/Tolerances RS40 2/61.1	
	Standard mounting		Approved by	Date	m	
	TS35 clip		RA 6,3	Rev by	Date	Njennhet/Surf. test
DIN-rail mounting		Dwg No.		4824-00		



171.30




Mounted horizontally



Mounted vertically

This document is the property of Polyamp AB and shall not, without the permission of Polyamp AB, be allowed, copied, used for manufacturing or communicated to any other person or company.

Weight (kg/m3)	Replaces dwg	Page 1(1)	Associated dwg No.	Units millimeters	Scale 1:1.5	Rev No. 00
	PM50 / PM80 400057 TS35 clip / L60-1 DIN-rail mounting		Tolerances/Intolerances IS:ISO 2768-1 m	Designer roand Date (y/m/d) 041022		
			Approved by RA 6,3	Date (y/m/d) -		
			Rev by RA 6,3	Date (y/m/d) -		
Dwg No.				4825-00		